CONTENTS

VOLUME 51, NUMBER 1, JANUARY-FEBRUARY 1974

The Absorption of Water by Ground Barley Malt. *P. J. Meddings and O. E. Potter* 1
Hard Red Spring and Durum Wheat Polar Lipids. I. Isolation and Quantitative Determinations. *M. J. Y. Lin, V. L. Youngs, and B. L. D'Appolonia* 17
Hard Red Spring and Durum Wheat Polar Lipids. II. Effect on Quality of Bread and Pasta Products. *M. J. Y. Lin, B. L. D'Appolonia, and V. L. Youngs* 34
Improved Canning Stability of Parboiled Rice through Cross-Linking. *J. E. Rutledge, M. N. Islam, and W. H. James* 46
Influence of Rice Crystallinity on Cross-Linking. *M. N. Islam, J. E. Rutledge, and W. H. James* 51
Study of Relationships between Wheat Protein Contents of Two U.K. Varieties and Derived Flour Protein Contents at Varying Extraction Rates. I. Studies on an Experimental Commercial Mill and a Laboratory Buhler Mill. *E. A. Farrand* 56
Study of Relationships between Wheat Protein Contents of Two U.K. Varieties and Derived Flour Protein Contents at Varying Extraction Rates. II. Studies by Hand-Dissection of Individual Grains. *E. A. Farrand and J. C. Hinton* 66
Antifungal Activity of Volatile Fatty Acids on Grains. *D. C. Hertung and E. E. Drury* 74
Protein and Amino Acid Content of Rice as Affected by Application of Nitrogen Fertilizer. *R. M. Patrick, F. H. Hoskins, E. Wilson, and F. J. Peterson* 84
A Method for the Detection of β-Nitroproprionic Acid in Crude Biological Extracts. *G. J. Moskowitz and T. Cayle* 96
The Nutritive Value and Organoleptic Properties of White Arabic Bread Supplemented with Soybean and Chickpea. *A. H. Hallab, H. A. Khatchadourian, and I. Jabr* 106
Studies of Glutenin. V. Note on Additional Preparative Methods. *R. J. Wasik and W. Bushuk* 112
Studies of Glutenin. VI. Chromosomal Location of Genes Coding for Subunits of Gluten of Common Wheat. *R. A. Orth and W. Bushuk* 118
Agtron in Evaluation of Cereal Flours. *P. R. Murthy and J. H. Dietz* 126
Microscopic Evaluation of the Digestibility of Sorghum Lines that Differ in Endosperm Characteristics. *R. D. Sullins and L. W. Rooney* 134
Note on an Enlarged-Scale Method for Preparing a Methionine-Enriched Plastein from Soybean Protein. *S. Arai, K. Aso, and M. Fujimaki* . . . . . .
Note. *J. Cerning* 145
Communication to the Editor. Gelatinization of Starch during Cooking of Spaghetti. *S. Marshall and R. Wasik* 146
Instruction to Authors 148

VOLUME 51, NUMBER 2, MARCH-APRIL 1974

Stress Relaxation in Wheat Flour Doughs Following a Finite Period of Shearing. I. Qualitative Study. *B. Launay and J. Bure* 151
Modified *Opaque-2* Corn Endosperms. I. Protein Distribution and Amino Acid Composition. *J. L. Robutti, R. C. Hoseney, and C. W. Deyoe* 163

CONTENTS

VOLUME 51, NUMBER 1, JANUARY-FEBRUARY 1974

The Absorption of Water by Ground Barley Malt. *P. J. Meddings and O. E. Potter* 1
Hard Red Spring and Durum Wheat Polar Lipids. I. Isolation and Quantitative Determinations. *M. J. Y. Lin, V. L. Youngs, and B. L. D'Appolonia* 17
Hard Red Spring and Durum Wheat Polar Lipids. II. Effect on Quality of Bread and Pasta Products. *M. J. Y. Lin, B. L. D'Appolonia, and V. L. Youngs* 34
Improved Canning Stability of Parboiled Rice through Cross-Linking. *J. E. Rutledge, M. N. Islam, and W. H. James* 46
Influence of Rice Crystallinity on Cross-Linking. *M. N. Islam, J. E. Rutledge, and W. H. James* 51
Study of Relationships between Wheat Protein Contents of Two U.K. Varieties and Derived Flour Protein Contents at Varying Extraction Rates. I. Studies on an Experimental Commercial Mill and a Laboratory Buhler Mill. *E. A. Farrand* 56
Study of Relationships between Wheat Protein Contents of Two U.K. Varieties and Derived Flour Protein Contents at Varying Extraction Rates. II. Studies by Hand-Dissection of Individual Grains. *E. A. Farrand and J. C. Hinton* 66
Antifungal Activity of Volatile Fatty Acids on Grains. *D. C. Hertung and E. E. Drury* 74
Protein and Amino Acid Content of Rice as Affected by Application of Nitrogen Fertilizer. *R. M. Patrick, F. H. Hoskins, E. Wilson, and F. J. Peterson* 84
A Method for the Detection of β-Nitroproprionic Acid in Crude Biological Extracts. *G. J. Moskowitz and T. Cayle* 96
The Nutritive Value and Organoleptic Properties of White Arabic Bread Supplemented with Soybean and Chickpea. *A. H. Hallab, H. A. Khatchadourian, and I. Jabr* 106
Studies of Glutenin. V. Note on Additional Preparative Methods. *R. J. Wasik and W. Bushuk* 112
Studies of Glutenin. VI. Chromosomal Location of Genes Coding for Subunits of Gluten of Common Wheat. *R. A. Orth and W. Bushuk* 118
Agtron in Evaluation of Cereal Flours. *P. R. Murthy and J. H. Dietz* 126
Microscopic Evaluation of the Digestibility of Sorghum Lines that Differ in Endosperm Characteristics. *R. D. Sullins and L. W. Rooney* 134
Note on an Enlarged-Scale Method for Preparing a Methionine-Enriched Plastein from Soybean Protein. *S. Arai, K. Aso, and M. Fujimaki* . . . . . .
Note. *J. Cerning* 145
Communication to the Editor. Gelatinization of Starch during Cooking of Spaghetti. *S. Marshall and R. Wasik* 146
Instruction to Authors 148

VOLUME 51, NUMBER 2, MARCH-APRIL 1974

Stress Relaxation in Wheat Flour Doughs Following a Finite Period of Shearing. I. Qualitative Study. *B. Launay and J. Bure* 151
Modified *Opaque-2* Corn Endosperms. I. Protein Distribution and Amino Acid Composition. *J. L. Robutti, R. C. Hoseney, and C. W. Deyoe* 163

Modified *Opaque-2* Corn Endosperms. II. Structure Viewed with a Scanning Electron Microscope. *J. L. Robutti, R. C. Hoseney, and C. E. Wassom* 173
The Effect of Field Sprouting on the Quality of Durum Wheat. *J. W. Dick, D. E. Walsh, and K. A. Gilles* 180
Carotenoids of Durum Wheat: Induced High Pigment Levels Obtained by Treatment of the Growing Plant with Chlorophenylthiotriethylamine (CPTA) Hydrochloride. *J. B. Lier and L. J. Lacroix* 188
Effect of Ingredients on Continuous Bread-Crumb Pasting Characteristics *B. L. D'Appolonia and L. A. MacArthur* 195
Determination of Common Wheat Content in Pasta Products. *P. Feillet and K. Kobrehel* 203
A Unique Product by Spray Crystallization of Total Dextrose Hydrolysate. *D. H. Piehl, J. D. Woods, and K. W. Kirby* 209
Extraction of Soybean Proteins with Aqueous 2-Mercaptoethanol. *A. M. Nash, W. F. Kwolek, and W. J. Wolf* 220
Wheat Glutenin Subunits. I. Preparative Separation by Gel-Filtration and Ion-Exchange Chromatography. *F. R. Huebner and J. S. Wall* 228
Wheat Glutenin Subunits. II. Compositional Differences. *F. R. Huebner, G. L. Donaldson, and J. S. Wall* 240
A Protein from Wheat Flour that Binds Calcium and Stearoyl-2 Lactylate Ions. *J. G. Fullington* 250
Defatted Corn-Germ Flour as a Nutrient Fortifier for Bread. *C. C. Tsen, C. N. Mojibian, and G. E. Inglett* 262
The Nature of Insoluble Starch Particles in Liquefied Corn-Starch Hydrolysates. *R. E. Hebeda and H. W. Leach* 272
Studies of Glutenin. VII. Inheritance of Its Physiochemical Factors in Triticale. *R. A. Orth, B. L. Dronzek, and W. Bushuk* 281
Submicroscopic Structure of Wheat Flour and Gluten Lipoprotein Components. *N. Crozet, B. Godon, L. Petit, and A. Guilbot* 288
A Note on the Influence of Osmium Fixation on Wheat Flour Lipids Observation by Transmission and Scanning Electron Microscopy. *N. Crozet and A. Guilbot* 300
Communication to the Editor. Rapid Ninhydrin Color Test for Screening High-Lysine Mutants of Maize, Sorghum, Barley, and Other Cereal Grains. *E. T. Mertz, P. S. Misra, and R. Jambunathan* 304
Erratum (Vol. 50, pp. 666 and 667, K. Kulp) 307

VOLUME 51, NUMBER 3, MAY-JUNE 1974

Composition and Utilization of Milled Barley Products. IV. Mineral Components. *D. J. Liu, G. S. Robbins, and Y. Pomeranz* 309
The Protein Fractions in Chemically Induced High-Protein Wheat Seed. *V. D. Strbac, G. S. Ayers, and S. K. Ries* 316
Effect of Dietary Phytic Acid on the Availability of Iron and Phosphorus. *G. S. Ranhotra, R. J. Loewe, and L. V. Puyat* 323
Nitrate Reductase of Wheat—Its Relation to Nitrogen Fertilization. *H. H. Hernandez, D. E. Walsh, and A. Bauer* 330
Calorimetric Studies on Swelling of Rice. I. Swelling of Rice Grain and Rice Powder. *T. Kanemitsu and K. Miyagawa* 336

Changes in Peroxidase Activity and Peroxidase Isozyme Patterns of Wheat during Kernel Growth and Maturation. *J. E. Kruger and D. E. LaBerge* 345
Use of the Alveograph for Quality Evaluation of Hard Red Spring Wheat. *S. Khattak, B. L. D'Appolonia, and O. J. Banasik* 355
Determining the Degree of Starch Gelatinization. *R. M. Shetty, D. R. Lineback, and P. A. Seib* 364
Determination of Trypsin Inhibitor Activity of Soy Products: A Collaborative Analysis of an Improved Procedure. *M. L. Kakade, J. J. Rackis, J. E. McGhee, and G. Puski* 376
Antifungal Activity of Volatile Fatty Acids on Grains. II. Effect of Aqueous Dilutions. *D. C. Herting, E. E. Drury, and S. R. Ames* 382
Lintnerized Starches. Gel Filtration and Enzymatic Studies of Insoluble Residues from Prolonged Acid Treatment of Potato Starch. *J. P. Robin, C. Mercier, R. Charbonniere, and A. Guilbot* 389
Flavors Derived from Linoleic and Linolenic Acid Hydroperoxides. *J. E. Kalbrener, K. Warner, and A. C. Eldridge* 406
Dried Japanese Noodles. I. Properties of Laboratory-Prepared Noodle Doughs from Sound and Damaged Wheat Flours. *M. M. Bean, P. M. Keagy, J. G. Fullington, F. T. Jones, and D. K. Mecham* 416
Dried Japanese Noodles. II. Effect of Amylase, Protease, Salts, and pH on Noodle Doughs. *M. M. Bean, C. C. Nimmo, J. G. Fullington, P. M. Keagy, and D. K. Mecham:* 427
Erratum (Vol. 51, pp. 180-188, J. W. Dick et al.) 434

VOLUME 51, NUMBER 4, JULY-AUGUST 1974

Chemical, Physical, and Nutritional Properties of High-Protein Flours and Residual Kernel from the Overmilling of Uncoated Milled Rice. I. Milling Procedure and Protein, Fat, Ash, Amylose, and Starch Content. *B. M. Kennedy, M. Schelstraete, and A. R. Del Rosario* 435
Chemical, Physical, and Nutritional Properties of High-Protein Flours and Residual Kernel from the Overmilling of Uncoated Milled Rice. II. Amino Acid Composition and Biological Evaluation of the Protein. *B. M. Kennedy and M. Schelstraete* 448
Modulation of *o*-Diphenolase and Monophenolase Enzymes during Wheat Grain Development. *S. R. Taneja, Y. P. Abrol, and R. C. Sachar* 457
Physical and Chemical Changes in Spun Soy Protein Fibers during Storage. *J. P. C. Chiang and M. Sternberg* 465
Fat Content in Corn Grits: Effects of Grinding, Extraction Solvents, and Analytical Methods. *J. E. McGhee, L. T. Black, and O. L. Brekke* 472
Titratable Acidity in Water-Saturated *n*-Butyl Alcohol and Petroleum Ether Extracts of Some Stored Wheat Products. *D. K. Mecham and A. P. Mossman* 478
Aflatoxin Detection in Corn: A Simple Screening Test. *L. M. Seitz and H. E. Mohr* 487
Aflatoxin Distribution in Contaminated Corn. *O. L. Shotwell, M. L. Goulden, and C. W. Hesseltine* 492
The GRL-1000 Laboratory Dough Mixer. *R. H. Kilborn and K. H. Tipples* 500
Wheat α-Amylases. II. Physical Characterization. *R. Tkachuk and J. E. Kruger* 508
Effect of Wheat Processing on the Tryptophan Content of the Resulting Product. *L. Hussein, M. Abbassy, A. Arafah, and S. R. Morcos* 529
The Mineral Composition of Triticales and Triticale Milling Fractions by X-Ray Fluorescence and Atomic Absorption. *K. Lorenz, F. W. Reuter, and C. Sizer* 534
Erratum (Vol. 51, pp. 376-382, M. L. Kakade et al.) 542
Instructions to Authors 543

VOLUME 51, NUMBER 5, SEPTEMBER-OCTOBER 1974

A Note on Scanning Electron Microscopy of Low- and High-Protein Barley Malt. *Y. Pomeranz* 545
Pericarp and Endosperm Structure of Sorghum Grain Shown by Scanning Electron Microscopy. *R. C. Hoseney, A. B. Davis, and L. H. Harbers* 552
Utilization of High-Lysine Corn for the Manufacture of Ogi using a New, Improved Processing System. *E. O. I. Banigo, J. M. deMan, and C. L. Duitschaever* 559
A Comparison of the Properties of Large- and Small-Granule Starch Isolated from Several Isogenic Lines of Barley. *K. J. Goering and B. DeHaas* 573
Changes in Peroxidase Activity and Peroxidase Isozymes of Wheat during Germination. *J. E. Kruger and D. E. LaBerge* 578
Rapid Method for Determining the Zein Content of Whole Maize Seed or Isolated Endosperm. *A. Dalby* 586
An Electronic Recording Grain Research Laboratory Mixer. *P. W. Voisey and R. H. Kilborn* 592
Aspergillus flavus and Aflatoxin in Preharvest Corn from Indiana in 1971 and 1972. *G. W. Rambo, J. Tuite, and R. W. Caldwell* 595
High-Resolution Liquid Chromatography of Vitamin E Isomers. *J. F. Cavins and G. E. Inglett* 605
A Modified Biuret Reagent for Determination of Protein. *J. S. Noll, D. H. Simmonds, and W. Bushuk* 610
Fatty-Acid Esters of Alkoxylated Polyol Glycosides as Emulsifiers in White Layer Cake. *L. T. Kissell, D. K. Mecham, and C. L. Mehltretter* 616
Sterol Lipids Isolated from Pea Seeds (*Pisum sativum*). *T. Miyazawa, S. Ito, and Y. Fujino* 623
Breadmaking Characteristics of Wheat Flour Fortified with Various Commercial Soy Protein Products. *G. S. Ranhotra and R. J. Loewe* 629
Changes in Amino Acid Composition of Maturing Hiproly Barley. *Y. Pomeranz, D. M. Wesenberg, G. S. Robbins, and J. T. Gilbertson* 635
The Effects of Chemical Modification on the Pasting Characteristics of a High-Protein Oat Flour (Hinoat). *D. Paton* 641
Implications of the Mechanical Development of Bread Dough by Means of Sheeting Rolls. *R. H. Kilborn and K. H. Tipples* 648
Chemical and Physical Studies of Mustard and Rapeseed Coats. *J. R. Vose* 658
Interactions of Soy Flour Fractions with Wheat Flour Components in Breadmaking. *M. A. Hyder, R. C. Hoseney, K. F. Finney, and M. D. Shogren and P. Feillet* 666
Studies of the Role of Ascorbic Acid in Chemical Dough Development. I. Reaction of Ascorbic Acid with Flour-Water Suspensions. *D. R. Grant* 684
Horsebean as Protein Supplement in Breadmaking. I. Isolation of Horsebean Protein and its Amino Acid Composition. *K. M. Patel and J. A. Johnson* 693
Note on Amylograph Viscosities of Wheat Flours and Their Starches during Storage. *D. P. Loney and P. Meredith* 702

VOLUME 51, NUMBER 6, NOVEMBER-DECEMBER 1974

Ultracentrifugation and Binding Studies of Acid-Sensitive Soybean Proteins. *R. L. Anderson* 707
Periodicity of Growth and Starch Deposition in the Developing Wheat Grain. *L. D. Jenkins, D. P. Loney, P. Meredith, and B. A. Fineran* 718

The Effect of Nonstarchy Polysaccharides from Yam, Sorghum, and Millet Flours on the Rheological Behavior of Wheat Doughs. *P. P. Hanh and V. Rasper* 734
A Scanning Electron Microscope Study of Fababean Seed. *T. J. McEwen, B. L. Dronzek, and W. Bushuk* 750
Relaxation of Pressure in Dough. *H. Matsumoto, H. Ono, and T. Mita* 758
A Comparison of Loss of Birefringence with the Percent Gelatinization and Viscosity on Potato, Wheat, Rice, Corn, Cow Cockle, and Several Barley Starches. *K. J. Goering, D. H. Fritts, and K. G. D. Allen* 764
Effects of Gibberellic Acid on the Amylase Activity of Malted Wheat and Comparison of Methods for Determining Amylase Activity. *H. C. Jeffers and G. L. Rubenthaler* 772
Heavy Metals in Food Products from Corn. *W. J. Garcia, C. W. Blessin, and G. E. Inglett* 779
Heavy Metals in Whole Kernel Dent Corn Determined by Atomic Absorption. *W. J. Garcia, C. W. Blessin, and G. E. Inglett* 788
In Vivo Incorporation of Carbon-14 into *Zea Mays* L. Starch Granules. *J. C. Shannon* 798
Arabinoxylanases and Cellulases of Wheat. *J. F. Schmitz, C. E. McDonald, K. A. Gilles, and D. G. Medcalf* 809
Zein Accumulation in Phenotypically Modified Lines of *Opaque-2* Maize. *A. Dalby and C.-Y. Tsai* 821
Comparison of the Effect of *Shrunken-4, Opaque-2, Opague-7,* and *Floury-2* Genes on the Zein Content of Maize during Endosperm Development. *C.-Y. Tsai and A. Dalby* 825
Microbiology of Corn and Dry Milled Corn Products. *R. J. Bothast, R. F. Rogers, and C. W. Hesseltine* 829
A Note on Ethoxylated Sorbitol Esters as Bread Conditioner/Softeners. *R. K. Langhans* 839
Errata (Vol. 51, p. 666, 674, M. A. Hyder, R. C. Hoseney, K. F. Finney, and M. D. Shogren. Vol. 51, p. 675, K. Kobrehel, B. Laignelet, and P. Feillet) 838
Erratum (Vol. 51, p. 592, P. W. Voisey and R. H. Kilborn, and p. 595, G. W. Rambo, J. Tuite, and R. W. Caldwell) 841
Author Index, Vol. 51 854
Subject Index, Vol. 51 859
Editorial Policy ii

North Central Publishing Co.
St, Paul, Minnesota

INDEX TO VOLUME 51

AUTHOR INDEX

Abbasy, M. (*see* L. Hussein) 529
Abrol, Y. P. (*see* S. R. Taneja) 457
Allen, K. G. D. (*see* K. G. Goering) ... 764
Ames, S. R. (*see* D. C. Herting) 382
Anderson, R. L. Ultracentrifugation and binding studies of acid-sensitive soybean proteins 707
Arafah, A. (*see* L. Hussein) 529
Arai, S., K. Aso, M. Yamashita, and M. Fujimaki. Note on an enlarged-scale method for preparing a methionine-enriched plastein from soybean protein 143
Aso, K. (*see* S. Arai) 143
Ayers, G. S. (*see* V. D. Strbac) 316

Banasik, O. J. (*see* S. Khattak) 355
Banigo, E. O. I., J. M. deMan, and C. L. Duitschaever. Utilization of high-lysine corn for the manufacture of ogi using a new, improved processing system ... 559
Bauer, A. (*see* H. H. Hernandez) 330
Bean, M. M., P. M. Keagy, J. G. Fullington, F. T. Jones, and D. K. Mecham. Dried Japanese noodles. I. Properties of laboratory-prepared noodle doughs from sound and damaged wheat flours ... 416
_____, **C. C. Nimmo, J. G. Fullington, P. M. Keagy, and D. K. Mecham.** Dried Japanese noodles. II. Effect of amylase, protease, salts, and pH on noodle doughs 427
Black, L. T. (*see* J. E. McGhee) 472
Blessin, C. W. (*see* W. J. Garcia) 779, 788
Bothast, R. J., R. F. Rogers, and C. W. Hesseltine. Microbiology of corn and dry milled corn products 829
Brekke, O. L. (*see* J. E. McGhee) 472
Buré, J. (*see* B. Launay) 151
Bushuk, W. (*see* T. J. McEwen) 750
_____ (*see* J. S. Noll) 610
_____ (*see* R. A. Orth) 118, 281
_____ (*see* R. J. Wasik) 112

Caldwell, R. W. (*see* G. W. Rambo) ... 595
Cavins, J. F., and G. E. Inglett. High-resolution liquid chromatography of vitamin E isomers 605
Cayle, T. (*see* G. J. Moskowitz) 96
Cerning, J. Note 145
Charbonniere, R. (*see* J. P. Robin) 389
Chiang, J. P. C., and Sternberg, M. Physical and chemical changes in spun soy protein fibers during storage 465
Crozet, N., B. Godon, L. Petit, and A. Guilbot. Submicroscopic structure of wheat flour and gluten lipoprotein components . 288
_____, **and A. Guilbot.** A note on the influence of osmium fixation on wheat flour lipids observation by transmission and scanning electron microscopy .. 300

Dalby, A. Rapid method for determining the zein content of whole maize seed or isolated endosperm 586
_____, **and C.-Y. Tsai.** Zein accumulation in phenotypically modified lines of *opaque-2* maize 821
_____ (*see* C.-Y. Tsai) 825
D'Appolonia, B. L., and L. A. MacArthur. Effect of ingredients on continuous bread-crumb pasting characteristics 195
_____ (*see* S. Khattak) 355
_____ (*see* M. J. Y. Lin) 17, 34
Davis, A. B. (*see* R.C. Hoseney) 552
DeHaas, B. (*see* K. J. Goering) 573
Del Rosario, A. R. (*see* B. M. Kennedy) 435
deMan, J. M. (*see* E. O. I. Banigo) 559
Deyoe, C. W. (*see* J. L. Robutti) 163
Dick, J. W., D. E. Walsh, and K. A. Gilles. The effect of field sprouting on the quality of durum wheat 180
Dietz, J. H. (*see* P. R. Murthy) 126
Donaldson, G. L. (*see* F. R. Huebner) . 240
Dronzek, B. L. (*see* T. J. McEwen) 750
_____ (*see* R. A. Orth) 281
Drury, E. E. (*see* D. C. Herting) ... 74, 382
Duitschaever, C. L. (*see* E. O. I. Banigo) 559

Eldridge, A. C. (*see* J. E. Kalbrener) ... 406

Farrand, E. A. Study of relationships between wheat protein contents of two U.K.

varieties and derived flour protein contents at varying extraction rates. I. Studies on an experimental commercial mill and a laboratory Buhler mill 56
_____, **and J. C. Hinton**. Study of relationships between wheat protein contents of two U.K. varieties and derived flour protein contents at varying extraction rates. II. Studies by hand-dissection of individual grains 66
Feillet, P., and K. Kobrehel. Determination of common wheat content in pasta products 203
_____ (*see* M. A. Hyder) 675
Fineran, B. A. (*see* L. D. Jenkins) 718
Finney, K. F. (*see* M. A. Hyder) 666
Fritts, D. H. (*see* K. G. Goering) 764
Fujimaki, M. (*see* S. Arai) 143
Fujino, Y. (*see* T. Miyazawa) 623
Fullington, J. G. A protein from wheat flour that binds calcium and stearoyl-2 lactylate ions 250
_____ (*see* M. M. Bean) 416, 427

Garcia, W. J., C. W. Blessin, and G. E. Inglett. Heavy metals in food products from corn 779
_____, _____, **and** _____. Heavy metals in whole kernel dent corn determined by atomic absorption ... 788
Gilbertson, J. T. (*see* Y. Pomeranz) 635
Gilles, K. A. (*see* J. W. Dick) 180
_____ (*see* J. F. Schmitz) 809
Godon, B. (*see* N. Crozet) 288
Goering, K. J., and B. DeHaas. A comparison of the properties of large- and small-granule starch isolated from several isogenic lines of barley 573
_____, **D. H. Fritts, and K. G. D. Allen**. A comparison of loss of birefringence with the percent gelatinization and viscosity on potato, wheat, rice, corn, cow cockle, and several barley starches 764
Goulden, M. L. (*see* O. L. Shotwell) ... 492
Grant, D. R. Studies of the role of ascorbic acid in chemical dough development. I. Reaction of ascorbic acid with flour-water suspensions 684
Guilbot, A. (*see* N. Crozet) 288, 300
_____ (*see* J. P. Robin) 389

Hallab, A. H., H. A. Khatchadourian, and I. Jabr. The nutritive value and organoleptic properties of white Arabic bread supplemented with soybean chickpea 106
Hanh, P. P., and V. Rasper. The effect of nonstarchy polysaccharides from yam, sorghum, and millet flours on the rheological behavior of wheat doughs 734
Harbers, L. H. (*see* R. C. Hoseney) 552
Hebeda, R. E., and H. W. Leach. The nature of insoluble starch particles in liquefied corn-starch hydrolysates 272
Hernandez, H. H., D. E. Walsh, and A. Bauer. Nitrate reductase of wheat—its relation to nitrogen fertilization 330
Herting, D. C., and E. E. Drury. Antifungal activity of volatile fatty acids on grains 74
_____, _____, **and S. R. Ames**. Antifungal activity of volatile fatty acids on grains. II. Effect of aqueous dilutions 382
Hesseltine, C. W. (*see* R.J. Bothast) ... 829
_____ (*see* O. L. Shotwell) 492
Hinton, J.C. (*see* E. A. Farrand) 66
Hoseney, R. C., A. B. Davis, and L. H. Harbers. Pericarp and endosperm structure of sorghum grain shown by scanning electron microscopy 552
_____ (*see* M. A. Hyder) 666
_____ (*see* J. L. Robutti) 163, 173
Hoskins, F.H. (*see* R.M. Patrick) 84
Huebner, F. R., G.L. Donaldson, and J. S. Wall. Wheat glutenin subunits. II. Compositional differences 240
_____, **and J. S. Wall**. Wheat glutenin subunits. I. Preparative separation by gel-filtration and ion-exchange chromatography 228
Hussein, L., M. Abbassy, A. Arafah, and S. R. Morcos. Effect of wheat processing on the tryptophan content of the resulting product 529
Hyder, M. A., R. C. Hoseney, K. F. Finney, and M. D. Shogren. Interactions of soy flour fractions with wheat flour components in breadmaking 666

Inglett, G. E. (*see* J. F. Cavins) 605
_____ (*see* W. J. Garcia) 779, 788
_____ (*see* C. C. Tsen) 262
Islam, M. N., J. E. Rutledge, and W. H. James. Influence of rice crystallinity on cross-linking 51
_____ (*see* J. E. Rutledge) 46
Ito, S. (*see* T. Miyazawa) 623

Jabr, I. (*see* A. H. Hallab) 106
Jambunathan, R. (*see* E. T. Mertz) 304
James, W. H. (*see* M. N. Islam) 51
_____ (*see* J. E. Rutledge) 46
Jeffers, H. C., and G. L. Rubenthaler. Effects of gibberellic acid on the amylase activity of malted wheat and comparison of methods for determining amylase activity 772
Jenkins, L. D., D. P. Loney, P. Meredith, and B. A. Fineran. Periodicity of growth and starch deposition in the developing wheat grain 718
Johnson, J. A. (*see* K. M. Patel) 693
Jones, F. T. (*see* M. M. Bean) 416

Kakade, M. L., J. J. Rackis, J. E. McGhee, and G. Puski. Determination of trypsin inhibitor activity of soy products: a collaborative analysis of an improved procedure 376
Kalbrener, J. E., K. Warner, and A. C. Eldridge. Flavors derived from linoleic and linolenic acid hydroperoxides 406
Kanemitsu, T., and K. Miyagawa. Calorimetric studies on swelling of rice. I. Swelling of rice grain and rice powder 336
Keagy, P.M. (*see* M.M. Bean) 416, 427
Kennedy, B. M., and M. Schelstraete. Chemical, physical, and nutritional properties of high-protein flours and residual kernel from the overmilling of uncoated milled rice. II. Amino acid composition and biological evaluation of the protein 448
_____, _____, **and A. R. Del Rosario.** Chemical, physical, and nutritional properties of high-protein flours and residual kernel from the overmilling of uncoated milled rice. I. Milling procedure and protein, fat, ash, amylose, and starch content 435
Khatchadourian, H. A. (*see* A. H. Hallab) 106
Khattak, S., B. L. D'Appolonia, and O. J. Banasik. Use of the alveograph for quality evaluation of hard red spring wheat . 355
Kilborn, R. H., and K. H. Tipples. The GRL-1000 laboratory dough mixer 500
_____, **and** _____. Implications of the mechanical development of bread dough by means of sheeting rolls 648
_____ (*see* P. W. Voisey) 592
Kirby, K. W. (*see* D. H. Piehl) 209
Kissell, L. T., D. K. Mecham, and C. L. Mehltretter. Fatty-acid esters of alkoxylated polyol glycosides as emulsifiers in white layer cake 616
Kobrehel, K. (*see* P. Feillet) 203
Kruger, J. E., and D. E. LaBerge. Changes in peroxidase activity and peroxidase isozymes of wheat during germination 578
Kobrehel, K., B. Laignelet, and P. Feillet. Study of some factors of macaroni brownness 675
_____ (*see* P. Feillet) 203
Kruger, J. E., and D. E. LaBerge. Changes in peroxidase activity and peroxidase isozyme patterns of wheat during kernel growth and maturation 345
_____ **and** _____. Changes in peroxidase activity and peroxidase isozymes of wheat during germination 578
_____ (*see* R. Tkachuk) 508
Kwolek, W. F. (*see* A. M. Nash) 220

LaBerge, D. E. (*see* J.E. Kruger) . 345, 578
Lacroix, L. J. (*see* J. B. Lier) 188
Laignelet, B. (*see* K. Kobrehel) 675
Langhans, R. K. A note on ethoxylated sorbitol esters as bread conditioner/softeners 839
Launay, B., and J. Buré. Stress relaxation in wheat flour doughs following a finite period of shearing. I. Qualitative study 151
Leach, H. W. (*see* R. E. Hebeda) 272
Lehmann, T. A. (*see* G. S. Ranhotra)... 629
Lier, J. B., and L. J. Lacroix. Carotenoids of durum wheat: Ind[illegible]gh pigment levels obtained by treatment of the growing plant with chlorophenylthiotriethylamine (CPTA) hydrochloride 188
Lin, M. J. Y., B. L. D'Appolonia, and V. L. Youngs. Hard red spring and durum wheat polar lipids. II. Effect on quality of bread and pasta products 34
_____, **V. L. Youngs, and B. L. D'Appolonia.** Hard red spring and durum wheat polar lipids. I. Isolation and quantitative determinations 17
Lineback, D.R. (*see* R.M. Shetty) 364
Liu, D. J., G. S. Robbins, and Y. Pomeranz. Composition and utilization of milled barley products. IV. Mineral components 309
Loewe, R.J. (*see* G.S. Ranhotra) ... 323, 629
Loney, D. P., and P. Meredith. Note on amylograph viscosities of wheat flours and their starches during storage 702

_____ (*see* L. D. Jenkins) 718
Lorenz, K., F. W. Reuter, and C. Sizer. The mineral composition of Triticales and Triticale milling fractions by X-ray fluorescence and atomic absorption . 534

MacArthur, L. A. (*see* B. L. D'Appolonia) 195
Marshall, S., and R. Wasik. Gelatinization of starch during cooking of spaghetti .. 146
Matsumoto, H., H. Ono, and T. Mita. Relaxation of pressure in dough 758
McDonald, C. E. (*see* J. F. Schmitz) ... 809
McEwen, T. J., B. L. Dronzek, and W. Bushuk. A scanning electron microscope study of fababean seed 750
McGhee, J. E., L. T. Black, and O. L. Brekke. Fat content in corn grits: Effects of grinding, extraction solvents, and analytical methods 472
_____ (*see* M. L. Kakade) 376
Mecham, D. K., and A. P. Mossman. Titratable acidity in water-saturated *n*-butyl alcohol and petroleum ether extracts of some stored wheat products 478
_____ (*see* M. M. Bean) 416, 427
_____ (*see* L. T. Kissell) 616
Medcalf, D.G. (*see* J.F. Schmitz)..... 809
Meddings, P. J., and O. E. Potter. The absorption of water by ground barley malt 1
Mehltretter, C. L. (*see* L. T. Kissell) 616
Mercier, C. (*see* J. P. Robin) 389
Meredith, P. (*see* L. D. Jenkins) 718
_____ (*see* D. P. Loney) 702
Mertz, E. T., P. S. Misra, and R. Jambunathan. Rapid ninhydrin color test for screening high-lysine mutants of maize, sorghum, barley, and other cereal grains 304
Misra, P.S. (*see* E. T. Mertz) 304
Mita, T. (*see* H. Matsumoto) 758
Miyagawa, K. (*see* T. Kanemitsu) 336
Miyazawa, T., S. Ito, and Y. Fujino. Sterol lipids isolated from pea seeds (*Pisum sativum*) 623
Mohr, H. E. (*see* L. M. Seitz) 487
Mojibian, C. N. (*see* C. C. Tsen) 262
Morcos, S. R. (*see* L. Hussein) 529
Moskowitz, G. J., and T. Cayle. A method for the detection of β-nitropropionic acid in crude biological extracts 96
Mossman, A. P. (*see* D. K. Mecham) .. 478
Murthy, P. R., and J. H. Dietz. Agtron in evaluation of cereal flours 126

Nash, A. M., W. F. Kwolek, and W. J. Wolf. Extraction of soybean proteins with aqueous 2-mercaptoethanol 220
Nimmo, C.C. (*see* M. M. Bean) 427
Noll, J. S., D. H. Simmonds, and W. Bushuk. A modified biuret reagent for determination of protein 610

Ono, H. (*see* H. Matsumoto) 758
Orth, R. A., and W. Bushuk. Studies of glutenin. VI. Chromosomal location of genes coding for subunits of glutenin of common wheat 118
_____, **B. L. Dronzek, and W. Bushuk.** Studies of glutenin. VII. Inheritance of its physicochemical factors in Triticale . 281

Patel, K. M., and J. A. Johnson. Horsebean as protein supplement in breadmaking. I. Isolation of horsebean protein and its amino acid composition 693
Paton, D. The effects of chemical modification on the pasting characteristics of a high-protein oat flour (Hinoat) 641
Patrick, R. M., F. H. Hoskins, E. Wilson, and F. J. Peterson. Protein and amino acid content of rice as affected by application of nitrogen fertilizer 84
Peterson, F. J. (*see* R. M. Patrick) 84
Petit, L. (*see* N. Crozet) 288
Piehl, D. H., J. D. Woods, and K. W. Kirby. A unique product by spray crystallization of total dextrose hydrolysate 209
Pomeranz, Y. A note on scanning electron microscopy of low- and high-protein barley malts 545
_____, **D. M. Wesenberg, G. S. Robbins, and J. T. Gilbertson.** Changes in amino acid composition of maturing Hiproly barley 635
_____ (*see* D. J. Liu) 309
Potter, O. E. (*see* P. J. Meddings) 1
Puski, G. (*see* M. L. Kakade) 376
Puyat, L. V. (*see* G. S. Ranhotra) 323

Rackis, J. J. (*see* M. L. Kakade) 376
Rambo, G. W., J. Tuite, and R. W. Caldwell. *Aspergillus flavus* and aflatoxin in preharvest corn from Indiana in 1971 and 1972 595
Ranhotra, G. S., R. J. Loewe, and T. A. Lehmann. Breadmaking characteristics of

wheat flour fortified with various commercial soy protein products 629
———, ———, and L. V. Puyat. Effect of dietary phytic acid on the availability of iron and phosphorus 323
Rasper, V. (*see* P. P. Hanh) 734
Reuter, F. W. (*see* K. Lorenz) 534
Ries, S. K. (*see* V. D. Strbac) 316
Robbins, G. S. (*see* D. J. Liu) 309
——— (*see* Y. Pomeranz) 635
Robin, J. P., C. Mercier, R. Charbonniere, and A. Guilbot. Lintnerized starches. Gel filtration and enzymatic studies of insoluble residues from prolonged acid treatment of potato starch 389
Robutti, J. L., R. C. Hoseney, and C. W. Deyoe. Modified *opaque-2* corn endosperms. I. Protein distribution and amino acid composition 163
———, ———, and C. E. Wassom. Modified *opaque-2* corn endosperms. II. Structure viewed with a scanning electron microscope 173
Rogers, R. F. (*see* R. J. Bothast) 829
Rooney, L. W. (*see* R. D. Sullins) 134
Rubenthaler, G. L. (*see* H. C. Jeffers) .. 772
Rutledge, J. E., M. N. Islam, and W. H. James. Improved canning stability of parboiled rice through cross-linking 46
——— (*see* M. N. Islam) 51

Sachar, R. C. (*see* S.R. Taneja) 457
Schelstraete, M. (*see* B. M. Kennedy) 435, 448
Schmitz, J. F., C. E. McDonald, K. A. Gilles, and D. G. Medcalf. Arabinoxylanases and cellulases of wheat 809
Seib, P. A. (*see* R. M. Shetty) 364
Seitz, L. M., and H. E. Mohr. Aflatoxin detection in corn: a simple screening test 487
Shannon, J. C. *In vivo* incorporation of carbon-14 into *Zea mays* L. starch granules 798
Shetty, R. M., D. R. Lineback, and P. A. Seib. Determining the degree of starch gelatinization 364
Shogren, M. D. (*see* M. A. Hyder) 666
Shotwell, O. L., M. L. Goulden, and C. W. Hesseltine. Aflatoxin: Distribution in contaminated corn 492
Simmonds, D. H. (*see* J. S. Noll) 610
Sizer, C. (*see* K. Lorenz) 534
Sternberg, M. (*see* J.P.C. Chiang) 465
Strbac, V. D., G. S. Ayers, and S. K. Ries. The protein fractions in chemically induced high-protein wheat seed 316
Sullins, R. D., and L. W. Rooney. Microscopic evaluation of the digestibility of sorghum lines that differ in endosperm characteristics 134

Taneja, S. R., Y. P. Abrol, and R. C. Sachar. Modulation of *o*-diphenolase and monophenolase enzymes during wheat grain development 457
Tipples, K. H. (*see* R. H. Kilborn) 500, 648
Tkachuk, R., and J. E. Kruger. Wheat α-amylases. II. Physical characterization 508
Tsai, C.-Y., and A. Dalby. Comparison of the effect of *shrunken-4*, *opaque-2*, *opaque-7*, and *floury-2* genes on the zein content of maize during endosperm development 825
——— (*see* A. Dalby) 821
Tsen, C. C., C. N. Mojibian, and G. E. Inglett. Defatted corn-germ flour as a nutrient fortifier for bread 262
Tuite, J. (*see* G. W. Rambo) 595

Voisey, P. W., and R. H. Kilborn. An electronic recording Grain Research Laboratory mixer 592
Vose, J. R. Chemical and physical studies of mustard and rapeseed coats 658

Wall, J.S. (*see* F.R. Huebner) 228, 240
Walsh, D. E. (*see* J. W. Dick) 180
——— (*see* H. H. Hernandez) 330
Warner, K. (*see* J.E. Kalbrener) 406
Wasik, R. (*see* S. Marshall) 146
———, and W. Bushuk. Studies of glutenin. V. Note on additional preparative methods 112
Wassom, C. E. (*see* J. L. Robutti) 173
Wesenberg, D. M. (*see* Y. Pomeranz) ... 635
Wilson, E. (*see* R. M. Patrick) 84
Wolf, W. J. (*see* A. M. Nash) 220
Woods, J. D. (*see* D. H. Piehl) 209

Yamashita, M. (*see* S. Arai) 143
Youngs, V. L. (*see* M. J. Y. Lin) 17, 34

Absorption, water, by ground barley malt (Meddings and Potter) 1

Acid hydrolysis, of potato starch, gel filtration and enzymatic studies of insoluble residues from (Robin et al.) 389

Aflatoxin
In corn; simple test for (Seitz and Mohr) 487
Distribution in corn (Shotwell et al.) 492
In preharvest corn (Rambo et al.) .. 595

Alkoxylated polyethers, as emulsifiers in white layer cake (Kissell et al.) 616

Alveograph, quality evaluation of HRS wheat with (Khattak et al.) 355

Amino acids
High-lysine corn, for manufacture of ogi (Banigo et al.) 559
High-lysine mutants of cereal grains; rapid ninhydrin color test for (Mertz et al.) 304
In horsebean protein (Patel and Johnson) 693
In maturing Hiproly barley; changes in composition (Pomeranz et al.) 635
In modified *opaque-2* corn endosperms (Robutti et al.) 163
In rice; content affected by nitrogen fertilizer (Patrick et al.) 84
In Triticale glutenin (Orth et al.) ... 281
In wheat glutenin subunits (Huebner et al.) 240
Method for preparing a methionine-enriched plastein from soybean protein (Arai et al.) 143
Tryptophan; effect of wheat processing (Hussein et al.) 529

Amylase, α-, in wheat; physical characterization (Tkachuk and Kruger) ... 508

Amylograph studies; effect of ingredients on continuous bread-crumb pasting characteristics (D'Appolonia and MacArthur) 195

Apparatus
Agtron in evaluation of cereal flours (Murthy and Dietz) 126
Alveograph for quality evaluation of HRS wheat (Khattak et al.) 355
Dough mixers; and electronic recording GRL mixer (Voisey and Kilborn) .. 592
Dough mixers; GRL-1000 (Kilborn and Tipples) 500

Ascorbic acid, chemical dough development and; reaction with flour-water suspensions (Grant) 684

Baking and Baked products, layer cake; emulsifiers in (Kissell et al.) 616

Barley
Hiproly, maturing; changes in amino acid composition of (Pomeranz et al.) .. 635
Malt, ground; absorption of water by (Meddings and Potter) 1
Malt, high- and low-protein; scanning electron microscopy of (Pomeranz) 545
Milled; mineral components of (Liu et al.) 309
Starch, large and small granule, from several isogenic lines of (Goering and DeHaas) 573

Birefringence loss, with percent gelatinization and viscosity on starches from several grains (Goering et al.) 764

Biuret reagent, for protein determination (Noll et al.) 610

Bread and Breadmaking
Arabic; supplemented with soybean and chickpea flour (Hallab et al.) 106
Breadmaking characteristics of wheat flour fortified with various soy products (Ranhotra et al.) 623
Continuous bread-crumb pasting, effect of ingredients on (D'Appolonia and MacArthur) 195
Corn-germ flour fortification of (Tsen et al.) 262
Effect of wheat polar lipids on quality (Lin et al.) 34
GRL-1000 laboratory dough mixer (Kilborn and Tipples) 500
Horsebean as protein supplement in (Patel and Johnson) 693
Implications of use of sheeting rolls for mechanical dough development (Kilborn and Tipples) 648
Interactions of soy flour fractions with

wheat flour components during (Hyder et al.) 666
Use of breadmaking test to measure amylase activity by loaf volume response (Jeffers et al.) 772

Calorimetry; swelling of rice grain and rice powder (Kanemitsu and Miyagawa) . 336

Carbohydrates (*also see* **Starch** or **Sugar**)
Carbon-14, its incorporation into starch granules in corn (Shannon) 798

Canning stability, of parboiled rice; improved through cross-linking (Rutledge et al.) 46

Carotenoids, of durum wheat; induced high pigment levels (Lier and Lacroix) ... 188

Chickpea, flour; for supplementation of white Arabic bread (Hallab et al.) 106

Color, of flour; measured with Agtron (Murthy and Dietz) 126

Corn
Aflatoxin distribution in (Shotwell et al.) 492
Aflatoxin in, simple test for (Seitz and Mohr) 487
And dry-milled corn products; microbiology of (Bothast et al.) 829
Aspergillus flavus and aflatoxin in preharvest corn from Indiana (Rambo et al.) 595
Effect of different genes on zein content during endosperm development (Tsai and Dalby) 825
Flour; for bread fortification (Tsen et al.) 262
Food products from, heavy metals in (Garcia et al.) 779
Food products from, microbiology of (Bothast et al.) 829
Grits; effect of grinding and solvents on (McGhee et al.) 472
High-lysine, for manufacture of ogi (Banigo et al.) 559
Incorporation of carbon-14 into starch granules of (Shannon) 798
Insoluble starch particles in liquefied corn starch hydrolysates (Hebeda and Leach) 272
Opaque-2 endosperms; protein and amino acids in (Robutti et al.) 163
Opaque-2; SEM studies of endosperm (Robutti et al.) 173
Opaque-2; zein accumulation in phenotypically modified lines of (Dalby and Tsai) 821
Whole kernel; heavy metals in (Garcia et al.) 788
Zein content of whole maize seed or isolated endosperm (Dalby) 586

Cross-linking
Improved canning stability of parboiled rice through (Rutledge et al.) 46
Influence of rice crystallinity on (Islam et et al.) 51

Dough
Japanese noodle; effect of enzymes, salt, and pH on (Bean et al.) 427
Japanese noodle; from sound and damaged flours (Bean et al.) 416
Relaxation of pressure in (Matsumoto et al.) 758
Rheological behavior affected by polysaccharides from yam, sorghum, and millet flours (Hanh and Rasper) ... 734
Wheat flour; qualitative study of stress relaxation in (Launay and Bure) ... 151

Dough conditioners, ethoxylated sorbitol esters as (Langhans)..... 839

Dough development
Ascorbic acid; reaction with flour-water suspensions (Grant) 684
Mechanical; use of sheeting rolls (Kilborn and Tipples) 648

Dough emulsifiers; alkoxylated polyol glycosides, fatty acid esters of, for white layer cake (Kissell et al.) 616

Dough mixing
An electronic recording GRL mixer (Voisey and Kilborn) 592
Laboratory mixers (Kilborn and Tipples) 500

Endosperm
Corn; determining zein content of (Dalby) 586
Corn, *opaque-2*; protein and amino acids in (Robutti et al.) 163
Corn, *opaque-2*; SEM studies of (Robutti et al.) 173

Corn; zein content of (Tsai and Dalby) 825
Microscopic evaluation of digestibility of sorghum lines (Sullins and Rooney) 134
Sorghum; SEM studies of (Hoseney et al.) 552
Wheat; distribution of protein determined by hand-dissection (Farrand and Hilton) 66

Enzymes
α-Amylases in wheat; physical characterization (Tkachuk and Kruger) 508
α- and β-amylase; comparison of methods for measuring activity in malt and flour (Jeffers and Rubenthaler) 772
Arabinoxylanases and cellulases of wheat (Schmitz et al.) 809
Dried Japanese noodle dough, effect on (Bean et al.) 427
Flavors derived from linoleic and linolenic acid hydroperoxides (Kalbrener et al.) 406
Macaroni brownness, factors of (Kobrehel et al.) 675
Monophenolase and diphenolase activities, separation of (Taneja et al.) 457
Nitrate reductase and nitrogen fertilization of wheat (Hernandez et al.) 330
Peroxidase activity and isozymes, changes during germination of wheat (Kruger and LaBerge) 345, 578
Starch gelatinization, determining degree of (Shetty et al.) 364
Trypsin; determining inhibition of in soy products (Kakade et al.) 376

Errata
Kulp, K. (Vol. 50, pp. 666 and 667) . 307
Dick, J. W., D. E. Walsh, and K. A. Gilles (Vol. 51, pp. 180 and 181) 434
Kakade, M. L., J. J. Rackis, J. E. McGhee, and G. Puski (Vol. 51, pp. 376-382) 542
Hyder, M. A., Hoseney, R. C., Finney, K. F., and Shogren, M.D. (Vol. 51, pp. 666-675) 838
Kobrehel, K., Laingelet, B., and Feillet, P. (Vol. 51, pp. 675-684) 838
Voisey, P. W. and Kilborn, R. H. (Vol. 51, pp. 592-595) 841
Rambo, G. W., Tuite, J., and Caldwell, R. W. (Vol. 51, pp. 595-604) 841

Esters, ethoxylated sorbitol; as dough conditioners (Langhans) 839

Extraction solvents, effect on fat content of corn grits (McGhee et al.) 472

Fababeans
Amino acids in horsebean protein (Patel and Johnson) 693
Scanning electron microscopy of (McEwen et al.) 750

Fat, content in corn grits; effect of grinding, solvents (McGhee et al.) 472

Fatty-acid esters, of alkoxylated polyol glycosides as emulsifiers in white layer cake (Kissell et al.) 616

Fertilizers
Effect on protein and amino acid content of rice (Patrick et al.) 84
Nitrogen; and nitrate reductase of wheat (Hernandez et al.) 330
Protein fractions in wheat seed (Strbac et al.) 316

Field sprouting, effect on durum wheat quality (Dick et al.) 180

Flavor; from linoleic and linolenic acid hydroperoxides (Kalbrener et al.) ... 406

Flour
Amylograph viscosities of, during storage (Loney and Meredith) 702
Ascorbic acid and chemical dough development: reaction with flour-water suspensions (Grant) 684
Barley; mineral components of (Liu et al.) 309
Color measurement with Agtron (Murthy and Dietz) 126
Corn germ; for fortification of bread (Tsen et al.) 262
Interaction between components and soy flours during breadmaking (Hyder et al.) 666
Lipids in; influence of osmium fixation on microscopic observation of (Crozet et al.) 300
Noodle doughs from sound and damaged flours (Bean et al.) 416
Oat, high-protein; effects of chemical modification on pasting characteristics (Paton) 641
Oilseed; for supplementation of white Arabic bread (Hallab et al.) 106
Protein contents of, mill studies (Farrand) 56
Protein from, that binds calcium and stearoyl-2 lactylate ions (Fullington) 250
Rice, high-protein; amino acids and biological evaluation on (Kennedy and

Schelstraete) 448
Rice, high-protein; milling and chemical composition of (Kennedy et al.) ... 435
Submicroscopic structure of lipoprotein components (Crozet et al.) 288
Yam, sorghum, and millet; polysaccharides from and their effect on rheological behavior of wheat doughs (Hanh and Rasper) 734

Fortification
Breadmaking characteristics of wheat flour fortified with various soy products (Ranhotra et al.) 623
Horsebean as protein supplement in breadmaking (Patel and Johnson) . 693
Interactions during breadmaking of soy flour fractions with wheat flour components (Hyder et al.) 666

Fungal mycotoxins; β-nitropropionic acid; in crude biological extracts (Moskowitz and Cayle) 96

Fungi; *Aspergillus flavus* and aflatoxin in preharvest corn (Rambo et al.) 595

Fungicides
Antifungal activity of volatile fatty acids (Herting and Drury) 74
Volatile fatty acids; effect of aqueous dilutions (Herting et al.) 382

Gelatinization, starch-; determining degree of (Shetty et al.) 364

Genetics; subunits of glutenin (Orth and Bushuk) 118

Gluten, wheat flour; submicroscopic structure of lipoprotein components (Crozet et al.) 288

Glutenin
Additional preparative methods (Wasik and Bushuk) 112
Subunit composition; genetics of (Orth and Bushuk) 118
Triticale; inheritance of physicochemical factors (Orth et al.) 281
Wheat; compositional differences of subunits (Huebner et al.) 240
Wheat; preparative separation of subunits by chromatography (Huebner and Wall) 228

Heavy metals
In corn food products (Garcia et al.) 779
In whole kernel dent corn (Garcia et al.) 788

Herbicides; protein fractions in chemically induced high-protein wheat seed (Strbac et al.) 316

Iron; dietary phytic acid and availability of (Ranhotra et al.) 323

Lipids
Effect on quality of bread and pasta products (Lin et al.) 34
Free fatty acid determination in stored wheat products (Mecham and Mossman) 478
Protein from wheat flour that binds calcium and stearoyl-2 lactylate ions (Fullington) 250
Sterol; isolated from pea seeds (Miyazawa et al.) 623
Wheat flour; influence of osmium fixation (Crozet and Guilbot) 300
Wheat; isolation of (Lin et al.) 17

Malt and Malting
Barley, ground; absorption of water by (Meddings and Potter) 1
High- and low-protein; SEM studies (Pomeranz) 545
Physical characterization of α-amylases in germinated wheat (Tkachuk and Kruger) 508

Malting quality; comparison of wheats malted with and without gibberellic acid (Jeffers and Rubenthaler) 772

Maturation studies
Barley, Hiproly; amino acid composition of (Pomeranz et al.) 635
Maize endosperm development; effect of different genes on zein content during (Tsai and Dalby) 825
Monophenolase and diphenolase enzymes, modulation of, during wheat grain

development (Taneja et al.) 457
Periodicity of growth and starch deposition in developing wheat grain (Jenkins et al.) 718
Peroxidase activity and isozymes, changes during germination of wheat (Kruger and LaBerge) 345, 578

Methods
Aflatoxin detection in corn (Seitz and Mohr) 487
Amylase activity; statistical comparison of several conventional methods (Jeffers and Rubenthaler) 772
Antitryptic activity in soy products (Kakade et al.) 372
Atomic absorption, for heavy metals in corn (Garcia et al.) 788
Atomic absorption, for mineral composition of Triticale (Lorenz et al.) 534
Biuret, for protein determination (Noll et al.) 619
Calorimetric; swelling of rice grain and rice powder (Kanemitsu) 336
Chromatographic; for preparative separation of wheat glutenin subunits (Huebner and Wall) 228
Chromatography; for β-nitropropionic acid in crude biological extracts (Moskowitz and Cayle) 96
Chromatography, high-resolution liquid; of vitamin E isomers (Cavins and Inglett) 605
Chromatography, for isolation of HRS and durum wheat polar lipids (Lin et al.) 17
Determination of common wheat content in pasta products (Feillet and Kobrehel) 203
Determining zein content of whole maize seed or isolated endosperm (Dalby) 586
For preparation of glutenins from durum wheat (Wasik and Bushuk) 112
Free fatty acids from stored wheat products (Mecham and Mossman) . 478
Microscopy; of sorghum endosperm (Sullins and Rooney) 134
Preparing a methionine-enriched plastein from soybean protein (Arai et al.) . 143
Rapid ninhydrin color test for screening high-lysine mutants of cereal grains (Mertz et al.) 304
Scanning electron microscopy; dextrose hydrolysate product (Piehl et al.) .. 209
Scanning electron microscopy; of Triticale (Orth et al.) 281
Soybean protein extraction with aqueous 2-mercaptoethanol (Nash et al.) ... 220
Use of sheeting rolls, implications in mechanical dough development (Kilborn and Tipples) 648
X-ray fluorescence; for mineral composition of Triticale (Lorenz et al.) 534

Microbiology
Antifungal activity of volatile fatty acids (Herting and Drury) 74
Of corn and dry milled corn products (Bothast et al.) 829

Microscopy
Fababean seed (McEwen et al.) 750
Influence of osmium fixation on observation of wheat flour lipids (Crozet and Guilbot) 300
Opaque-2 corn endosperm (Robutti et al.) 173
Scanning electron; of high- and low-protein barley malts (Pomeranz) ... 545
Scanning electron; of sorghum grain (Hoseney et al.) 552

Milling
Corn grits; effect on fat content (McGhee et al.) 472
Effect of field sprouting on durum wheat quality (Dick et al.) 180
Mineral components of barley products (Liu et al.) 309
Studies of wheat and flour protein contents (Farrand) 56

Minerals
In milled barley products (Liu et al.) 309
In Triticale (Lorenz et al.) 534

Nitrate reductase; relation to nitrogen fertilization of wheat (Hernandez et al.) 330

Noodles
Dried Japanese, I, from sound and damaged wheat flours (Bean et al.) 416
Dried Japanese, II, effect of enzymes, salt, and pH on doughs (Bean et al.) 427

Nutrition
Corn germ-fortified bread (Tsen et al.) 262
Digestibility of sorghum lines that differ in

endosperm characteristics (Sullins and Rooney) 134
Protein and amino acids in rice, affected by nitrogen fertilizer (Patrick et al.) ... 84
Soybean and chickpea-supplemented Arabic bread (Hallab et al.) 106

Oats; high-protein oat flour, pasting characteristics of (Paton) 641

Ogi, manufacture of; use of high-lysine corn for (Banigo et al.) 559

Oilseeds (*also see* **Soybeans**, **Fababeans**, **Chickpea**, etc.)
Mustard and rapeseed coats; chemical and physical studies (Vose) 658

Organoleptic qualities, of white Arabic bread supplemented with soybean and chickpea flour (Hallab et al.) 106

Osmium fixation, influence on microscopic observation of wheat flour lipids (Crozet and Guilbot) 300

Pasta and Pasta products
Determination of common wheat content in (Feillet and Kobrehel) 203
Effect of field sprouting on durum wheat quality (Dick et al.) 180
Effect of wheat polar lipids on quality (Lin et al.) 34
Factors of macaroni brownness (Kobrehel et al.) 675
Gelatinization of starch during cooking of spaghetti (Marshall and Wasik) ... 146

Pasting characteristics
Continuous bread crumb; effect of ingredients on (D'Appolonia and MacArthur) 195
Of high-protein oat flour; effect of chemical modification on (Paton) .. 641

Pea seeds, sterol lipids isolated from (Miyazawa et al.) 623

pH, effect on Japanese noodle dough (Bean et al.) 427

Phosphorus; dietary phytic acid and availability of (Ranhotra et al.) 323

Physical studies; mustard and rapeseed coats (Vose) 658

Phytic acid, effect on iron and phosphorus availability (Ranhotra et al.) 323

Pigment; carotenoids of durum wheat (Lier and Lacroix) 188

Plastein, methionine-enriched; prepared from soybean protein (Arai et al.) 143

Polyphenoloxidase; common wheat content of pasta products (Feillet and Kobrehel) 203

Polysaccharides, nonstarchy, from yam, sorghum, and millet flours; their effect on rheological behavior of wheat doughs (Hanh and Rasper) 734

Potato starch, insoluble residues from acid treatment of (Robin et al.) 389

Pressure relaxation, in yeasted dough (Matsumoto et al.) 758

Protein and proteins
Acid-sensitive, in soybeans (Anderson) 707
Changes in amino acid composition of maturing Hiproly barley (Pomeranz et al.) 635
Chemically induced high-protein wheat seed (Strbac et al.) 316
Determining zein content of whole maize seed or isolated endosperm (Dalby) 586
High-protein oat flour; pasting characteristics of (Paton) 641
Horsebean protein, isolation and amino acid composition of (Patel and Johnson) 693
In modified *opaque-2* corn endosperms (Robutti et al.) 163
Rice; content affected by nitrogen fertilizer (Patrick et al.) 84
Soybean; extraction with aqueous 2-mercaptoethanol (Nash et al.) 220
Soybean; method for preparing a methionine-enriched plastein from (Arai et al.) 143
Soybean, spun; physical and chemical changes during storage (Chiang and Sternberg) 465
Submicroscopic structure of wheat flour and gluten lipoprotein components (Crozet et al.) 288
Wheat and flour; hand-dissection of

individual grains (Farrand and Hinton) 66
Wheat and flour; milling studies (Farrand) 56
Wheat flour; calcium and stearoyl-2 lactylate-binding (Fullington) 250
Zein accumulation in phenotypically modified lines of *opaque-2* maize (Dalby and Tsai) 821

Quality control, use of Agtron in (Murthy and Dietz 126

Rheology
Effect of polysaccharides from yam, sorghum, and millet flours on rheological behavior of wheat doughs (Hanh and Rasper) 734
Quality evaluation of HRS wheat by Alveograph (Khattak et al.) 355
Stress relaxation in wheat flour doughs (Launay and Bure) 151

Rice
Crystallinity; influence on cross-linking (Islam et al.) 51
High-protein; amino acids and biological evaluation of (Kennedy and Schelstraete) 448
High-protein; milling and chemical composition of (Kennedy et al.) ... 435
Grain and powder; calorimetric studies of swelling (Kanemitsu and Miyagawa) 336
Parboiled; canning stability improved through cross-linking (Rutledge et al.) 46
Protein and amino acid content of, affected by nitrogen fertilizer (Patrick et al.) . 84

Salt, effect on Japanese dried noodle dough (Bean et al.) 427

Shearing; stress relaxation in wheat flour doughs after (Launay and Bure) 151

Sorghum
Microscopic evaluation of digestibility (Sullins and Rooney) 134
Pericarp and endosperm studies of grain (Hoseney et al.) 552

Soybean and Soybeans
Acid-sensitive proteins, ultracentrifugation and binding studies of (Anderson) 707
Breadmaking characteristics of wheat flour fortified with various commercial soy products (Ranhotra et al.) 629
Flour; for supplementation of white Arabic bread (Hallab et al.) 106
Interactions of soy flour fractions with wheat flour components during breadmaking (Hyder et al.) 666
Protein; extraction with aqueous 2-mercaptoethanol (Nash et al.) 220
Protein; method for preparing a methionine-enriched plastein from (Arai et al.) 143
Spun protein; physical and chemical changes during storage (Chiang and Sternberg) 465
Trypsin inhibitor activity in (Kakade et al.) 376

Starch
Comparison of loss of birefringence with percent gelatinization and viscosity on starches from several grains (Goering et al.) 764
Corn; incorporation of carbon-14 in starch granules (Shannon) 798
Gelatinization, determining degree of (Shetty et al.) 364
Gelatinization of, during cooking of spaghetti (Marshall and Wasik) 146
In developing wheat grains (Jenkins et al.) 718
In wheat flour; amylograph viscosity of during storage (Loney and Meredith) 702
Insoluble particles in liquefied corn starch hydrolysates (Hebeda and Leach) .. 272
Large- and small-granule, from several isogenic lines of barley (Goering and DeHaas) 573
Lintnerized; acid treatment of potato starch (Robin et al.) 389
Product by spray crystallization of total dextrose hydrolysate (Piehl et al.) . 209

Steroid, carotenoids of durum wheat; treatment of plant with CPTA hydrochloride (Lier and Lacroix) ... 188

Sterols; lipids isolated from pea seeds (Miyazawa) 623

Storage of grain
Amylograph viscosities of wheat flours and

their starches during (Loney and Meredith) 702
Antifungal activity of volatile fatty acids (Herting et al.) 74, 382
Changes in spun soy protein fibers during (Chiang and Sternberg) 465
Wheat products; titratable acidity in water-saturated alcohol and petroleum ether extracts of (Mecham and Mossman) 478

Stress relaxation, in wheat flour doughs after a finite period of shearing (Launay and Bure) 151

Structural studies
Opaque-2 corn endosperm (Robutti et al.) 173
Total dextrose hydrolysate, spray crystallization of (Piehl et al.) 209
Wheat flour and gluten lipoprotein components (Crozet et al.) 288

Sugars; unique products by spray crystallization of total dextrose hydrolysate (Piehl et al.) 209

Tocopherols; high-resolution liquid chromatography of vitamin E isomers (Cavins and Inglett) 605

Triticale
Inheritance of physicochemical factors of glutenin (Orth et al.) 281
Mineral composition (Lorenz et al.) 534

Trypsin inhibitors, in soy products (Kakade et al.) 376

Ultracentrifugation, of acid-sensitive soybean proteins (Anderson) 707

Vitamin E isomers; high-resolution liquid chromatography of (Cavins and Inglett) 605

Volatile fatty acids
Antifungal activity of (Herting and Drury) 74
Antifungal activity of on grains; effect of aqueous dilutions (Herting et al.) .. 382

Wheat
α-Amylases in; physical characterization (Tkachuk and Kruger) 508
Arabinoxylanases and cellulases of (Schmitz et al.) 809
Durum; carotenoids of, induced high pigment levels (Lier and Lacroix) .. 188
Durum; effect of field sprouting on quality of (Dick et al.) 180
Durum; isolation of polar lipids in (Lin et al.) 17
Durum, polar lipids in; effect on quality of bread and pasta products (Lin et al.) 34
Germination; changes in peroxidase activity and isozymes during germination (Kruger and LaBerge) 578
Glutenin subunits; compositional differences (Huebner et al.) 240
Glutenin subunits; preparative separation by chromatography (Huebner and Wall) 228
HRS; isolation of polar lipids in (Lin et al.) 17
HRS, polar lipids in; effect on quality of bread and pasta products (Lin et al.) 34
HRS; quality evaluation by alveograph (Khattak et al.) 355
Nitrogen fertilization of, and nitrate reductase (Hernandez et al.) 330
Pasta products, common wheat content of (Feillet and Kobrehel) 203
Periodicity of growth and starch deposition in developing wheat grain (Jenkins et al.) 718
Peroxidase activity and isozyme patterns during kernel growth (Kruger and LaBerge) 345
Protein content; hand dissection of individual grains (Farrand and Hinton) 66
Protein content of, mill studies (Farrand) 56
Protein fractions in chemically induced high-protein wheat seed (Strbac et al.) 316
Storage of flour; amylograph viscosities (Loney and Meredith) 702
Tryptophan content of; effect of processing (Hussein et al.) 529

Zein, accumulation in phenotypically modified lines of *opaque-2* maize (Dalby and Tsai) 821